

PEDIATRIC HEALTH PREVENTIVE CARE SCHEDULE

AGE	0	2 WKS	2 MO	4 MO	6 MO	9 Mo	12 MO	15 MO	18 MO	24 MO	3 YRS	4 YRS	5 YRS	6 YRS	8 YRS	10 YRS	12 YRS	14 YRS	16 YRS	18 YRS	20 YRS	
WEIGHT, HEIGHT, HISTORY, PHYSICAL EXAMINATION	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
DEVELOPMENTAL BEHAVIORAL ASSESSMENT	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
COUNSELING, EDUCATION	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
HEAD CIRCUMFERENCE	X	X	X	X	X	X	X	X	X	X												
BLOOD PRESSURE											X	X	X	X	X	X	X	X	X	X	X	X
DENTAL REFERRAL										X	X	X	X	X	X	X	X	X	X	X	X	X
NUTRITION ASSESSMENT/EDUCATION	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
HEMOGLOBIN							X						X									
URINALYSIS													X									
VISION HISTORY * TESTING X	*	*	*	*	*	*	*	*	*	*	*	X	X	X	X	*	*	X	*	X	X	X
HEARING HISTORY * TESTING X	X	*	*	*	*	*	*	X	*	*	*	X	X	*	*	*	X	*	*	X	*	*
LEAD SCREEN HISTORY * BLOOD					*		X		*	X	*	*	*	*								

Immunizations

HEPATITIS A							X		X													
HEPATITIS B	X		X	X			X															
DIPHTHERIA, TETANUS, (ACELLULAR) PERTUSSIS (DTaP)			X	X	X			X				X					Tdap					
H INFLUENZA TYPE B (Hib)			X	X			X															
POLIO – Inactivated (IPV)			X	X	X							X										
MEASLES, MUMPS, RUBELLA (MMR)							X					X										
VARICELLA (Chickenpox)							X					X										
PNEUMOCOCCAL (PCV)			X	X	X		X															
INFLUENZA (yearly after 6 months)					X		X			X	X	X	X	X	X	X	X	X	X	X	X	X
MENINGOCOCCAL (MCV 4)																	X					
Human Papilloma Virus (HPV4)																						

X - Indicated for female ages 9-26, 2nd dose at 2 mos, 3rd dose at 6 mos.

Rotavirus (RotaTeq)

X

X

X